



# Pathway® HD Wheelchair Ramps









2 Handrail Styles to choose from and proudly Made in the USA!





Express Ramps - www.expressramps.com 1-866-491-1110

## Pathway HD Commercial ADA Ramp & Stair Systems

- ADA & IBC Code Compliant Ramps
- Easily Configured
- Architectural Stamped Drawings available
- Virtually Maintenance Free
- Will not rust, rot or corrode
- Strong, Durable Aluminum





## Designed for the rigors of Commercial ADA Access needs

The Pathway HD Series ADA Modular Wheelchair Ramps system are completely code compliant with ADA, OSHA and IBC 2006 handicap ramp guidelines. These aluminum wheelchair ramps are a modular design to provide maximum flexibility to meet virtually any handicapped access need and are easy to install for complete ADA Ramp Compliance. The Pathway HD ADA wheelchair ramps have optional ADA compliant stairs and platforms to complete you businesses handicap ramp needs. You won't find a more durable, permanent solution for your handicapped ADA wheelchair ramps access needs.





## See our website for our complete line of Access Solutions











Express Ramps - www.expressramps.com - 1-866-491-1110

## Pathway HD Commercial ADA Ramp & Stair Systems

### **Vertical Pickets**

### **Two-Line Handrails**

#### Stairs and Platform







## ADA Guideline Basics 2

The Americans with Disabilities Act (ADA) provides access guidelines that most business are required to meet. Most residential applications do not need to meet ADA guidelines, but they are a good reference point for recommended ramp lengths. Contact your local building inspector for additional information.



#### ADA:

- Requires a 1:12 slope ratio which works out to be one foot of ramp for each inch of rise. For instance, a 20 inch rise requires a 20 foot ramp.
- Requires a Minimum 5' x 5' Flat area at the top of the ramp.
- Minimum 36 inches of clear space across the ramp.
- Minimum Platform size is 5' x 5'
- Maximum of 30 feet in a single run of ramp prior to a rest or turn platform.
- Must have handrails on both sides of the ramp.

The Americans with Disabilities Act (ADA) is a Federal (National) Law. Most States have their own version of ADA Guidelines and ADA Ramp Requirements, which may be more restrictive than the Federal Law. Massachusetts & California ADA Ramp Guidelines now require handicap ramps for Businesses to have a 48 inch minimum usable width. It is important to ensure your business is complaint to avoid potential code violations that may carry large fines. Installations requiring inspection: We suggest confirming compliance with your local building inspector prior to ordering, eliminating any potential issues with local building codes.

### Residential Applications

The Pathway HD ramp system is intended for Commercial use. We have the Pathway 3G ramp system available for residential and light commercial use. (pictured to the right).



## Shipping and Delivery



We normally have everything in stock and ready for quick delivery. Free Ground <sup>1</sup> Shipping is included. Normal delivery time is 3-5 business days (e.g. approximately one week from the order date). If you need delivery by a specific date, please let us know at the time of order, so we can determine if your shipping may require upgrading.

### Express Ramps - www.expressramps.com - 1-866-491-1110

# The Leading Source for Modular Ramps!









## Modular Ramp Specifications - Pathway HD Series

### Designed to meet or exceed ADA, IBC 2016, OSHA & General Code for Ramp Access

### **Ramp Specifications:**

• Standard lengths: 2',3', 4', 5', and 6'

Standard Clear Widths:48" and 54"

· Curb Height: 4"

#### **Picketed**

- Guards: 42" high; 1.5" diameter

- Handrail: 36" high; 1.5" diameter

- Child Rail (optional): 25" high; 1.5" diameter

### **Two Line**

- Top Rail: 42" high; 1.5" diameter

- Mid rail: 25" high

- Handrail: 36" high; 1.5" diameter

- Child Rail (optional): 25" high; 1.5" diameter

### **Platform Specifications:**

 Standard Sizes (Clear width): 5'x5', 5'x6', 5'x7', 6'x6'

### **Picketed**

- Guards: 42" high; 1.5" diameter

#### **Two Line**

- Top Rail: 42" high; 1.5" diameter

- Mid rail: 25" high

### **Steps Specifications:**

Standard heights: 18", 24", 30", 36", 42", 48", 54" and 60"

• Standard risers: 6" high, 12.5" deep

· Guards: 42" Picketed

• Handrail: 36" high, 1.5" diameter

· Legs: Fully independently adjustable

### All our Wheelchair Ramps are proudly Made in the USA!

Fast, Free Shipping!



Bill To Address (where your statement is sent)				Ship To Address (if different)			
Name:				Name:			
Company:				Company:			
Address:				Address:			
City/State/Zip:				City/State/Zip:			
Phone:				Phone:			
Email:				Email:			
Item or Quote #		Descrip			Price Each	Qty.	Subtotal
Payment Method: (please make checks or money orders p				o Express Ra	mps) SI	nipping	Free
☐ Check ☐ Visa		■ Visa				Total	
■ Money Order ■ Master Card						L	
□ Discover □ American Express							
	#:			Signature:_	(Required for all C		
Exp. Date:_	· · · · · · · · · · · · · · · · · · ·	Security Code*:			(i toquilor ioi aii c		7.40.07
*Security Code Location  Last 3 Digits on Signature Panel  Visa, MasterCard & Discover  *Security Code Location  4 Digits on the face of the card  American Express		PO Box 2269	Ramps, LLC Fax - 423-373-1888			е	
Free Ground shipping is included with all orders shipped within the Contiguous United States. Normal delivery time is 3-5							

business days. Please contact us for shipping charges to all other locations or for faster delivery.

Express Ramps - www.expressramps.com - 1-866-491-1110

By signing above you authorize Express Ramps, LLC to charge your credit card for the full amount listed on your order. You understand that you are responsible to pay this amount in full or return the items for a refund in accordance with our 30-day return policy. We make every effort to ship your order as quickly as possible. You understand that your order cannot be cancelled once it has shipped and must be returned in accordance with our 30-day return policy. Your signature certifies that you have read and accept these terms as outline in our 30-day return policy.